


APPENDIX BB

Suvaxyn[®] PRRS marketing materials

ANIMAL HEALTH

SUVAXYN®



LEADER IN HEALTH PROTECTION

SUVAXYN PRRS

Protects Pigs Against:

- Respiratory disease associated with Porcine Reproductive and Respiratory Syndrome (PRRS).
- Proven protection against the virulent ISU12 isolate.

Description:


This modified live virus (MLV) vaccine effectively aids in the prevention of respiratory disease associated with PRRS. Suvaxyn PRRS is licensed with a full 6 months duration of immunity and administered as a single dose which can be given to pigs as early as 3 weeks of age.

Directions:


Aseptically rehydrate with the accompanying diluent. Administer 2 mL intramuscularly (IM) or subcutaneously (SQ) to pigs three weeks of age or older.

Presentation:


- No 152177.....50 doses (100 mL)
- No 152174.....25 doses (50 mL)
- No 152175.....10 doses (20 mL)



No 15217750 doses (100mL)



No 15217425 doses (50mL)



No 15217510 doses (20mL)



FORT DODGE ANIMAL HEALTH
1-800-685-5656

BEST AVAILABLE COPY



Fort Dodge Animal Health Swine Biologicals Antigen chart

<i>Mycoplasma hyopneumoniae</i>	<i>Haemophilus parasuis serovar 4 + 5</i>	<i>Porcine reproductive and respiratory syndrome (PRRS)</i>	<i>Actinobacillus pleuropneumoniae serotypes 1, 5 + 7</i>	<i>Bordetella bronchiseptica</i>	<i>Pasteurella multocida and the toxins Type A + D</i>	<i>Erysipelothrix rhusiopathiae</i>	<i>Parvovirus</i>	<i>Leptospira canicola, grippityphosa, hardjo, icterohaemorrhagiae, pomona</i>	<i>Leptospira bratislava</i>	<i>Pseudorabies gpl⁻</i>	<i>Pasteurella multocida Type A</i>	<i>Escherichia coli K99, K88, 987P, F41</i>	<i>Administration</i>
---------------------------------	---	---	---	----------------------------------	--	-------------------------------------	-------------------	--	------------------------------	-------------------------------------	-------------------------------------	---	-----------------------

SUVAXYN® RespiFend® MH 125 doses - 250 mL • 50 doses - 50 mL • 10 doses - 20 mL	◆													I.M.
SUVAXYN® RespiFend® MH/HPS 125 doses - 250 mL • 50 doses - 100 mL	◆	◆												I.M.
SUVAXYN® RespiFend® HPS 125 doses - 250 mL • 50 doses - 100 mL		◆												I.M.
SUVAXYN® PRRS 50 doses - 100 mL • 25 doses - 50 mL • 10 doses - 20 mL			◆											SUB Q I.M.
SUVAXYN® RespiFend® APP 50 doses - 100 mL				◆										I.M.
SUVAXYN® AR/T/E 50 doses - 100 mL • 10 doses - 20 mL					◆	◆	◆							SUB Q I.M.
SUVAXYN® AR/T 50 doses - 100 mL					◆	◆								SUB Q I.M.
SUVAXYN® PLE 35 doses - 105 mL • 10 doses - 30 mL						◆	◆	◆						I.M.
SUVAXYN® PLE+B 50 doses - 250 mL • 10 doses - 50 mL						◆	◆	◆	◆					I.M.
SUVAXYN® LE+B 50 doses - 100 mL						◆		◆	◆					I.M.
SUVAXYN® GestaFend® 8 10 doses - 30 mL						◆	◆	◆		◆				I.M.
SUVAXYN® PLE+B/PRVgpl⁻ 50 doses - 100 mL						◆	◆	◆	◆	◆				I.M.
SUVAXYN® HerdFend®PRVgpl⁻ 25 doses - 50 mL										◆				I.M.
SUVAXYN® EC-4 50 doses - 100 mL • 10 doses - 20 mL												◆		I.M.
SUVAXYN® AR/E/EC-4 35 doses - 105 mL • 10 doses - 30 mL					◆		◆				◆	◆		I.M.
SUVAXYN® E 50 doses - 100 mL							◆							SUB Q I.M.

NEW FROM FORT DODGE ANIMAL HEALTH

SUVAXYN® PRRS

SAFE


- Approved for use in PRRS negative herds.
- 100x dose studies resulted in **NO** clinical signs in Suvaxyn PRRS vaccinated pigs.¹
- **NO** evidence of reversion to virulence was detected in back passage studies conducted in susceptible animals.²
- **99.94% REACTION FREE.** Following vaccination of 1,607 animals on 4 farms, there were **NO** severe local or systemic adverse reactions reported.³

EFFICACIOUS


- **PROVEN** protection against even the virulent ISU12 isolate.
- **6 MONTHS** duration of immunity.

CONVENIENT


- SubQ or IM administration.
- 10, 25 & 50 dose vials.



No 15217750 doses (100mL)



No 15217425 doses (50mL)



No 15217510 doses (20mL)

From **SUVAXYN®** Your Partner in Health Protection



FORT DODGE ANIMAL HEALTH

1-800-555-5555

1 Data on file, Fort Dodge Animal Health.
2 Data on file, Fort Dodge Animal Health.
3 Data on file, Fort Dodge Animal Health.

BEST AVAILABLE COPY

It's Time to Move Your Pigs up to "The House of Bricks" in PRRS Protection.

Introducing...

SUVA XYN® PRRS

One vial vaccine
One vial diluent
50 Doses
Rehydrate to 100 mL

**Porcine Reproductive
and Respiratory
Syndrome Vaccine**
Respiratory Form, Modified Live Virus



Suvaxyn® PRRS

For Use In Swine
For Veterinary Use Only

For the vaccination of healthy susceptible swine 3 weeks of age or older as an aid in the prevention of respiratory disease associated with porcine reproductive and respiratory syndrome (PRRS).

DOSE: Intramuscular injection with the accompanying sterile diluent. Swine, pigs and 2 wt. dose intramuscularly or subcutaneously every 4 weeks beginning at 3 weeks of age. The duration of immunity is at least six months.

CAUTION: Not for use in pregnant sows or to cause disease. Vaccination should not be used to prevent or control disease and may result in interference with the virus test. Store in dark at 2° to 8°C (32° to 46°F). **DO NOT FREEZE.** SHAKE WELL. Use within 30 minutes when first opened. Discard if empty, leaking, swollen, or discolored. Do not use within 24 days before opening.

See full directions.
Contents listed on a separate page.
Fort Dodge Animal Health
Fort Dodge, Iowa 50501
© 1992 Fort Dodge Animal Health